


# Miragrid GX - Geogrids

## Technical Data

TenCate Miragrid GX biaxial geogrids are engineered materials suitable for subgrade stabilisation and base reinforcement applications. They are composed of high modulus polyester fibres, knitted in a flat orientation and covered with a protective polymeric coating.



TenCate Miragrid GX

Properties <small>[Standard]</small>	Unit		GX 20/20	GX 35/35	GX 55/55	GX 80/80
<b>Mechanical Properties</b>						
Tensile strength <small>[EN ISO 10319]</small>	MD	kN/m	21	38	58	84
	min	kN/m	20	35	55	80
	CD	kN/m	21	38	58	84
	min	kN/m	20	35	55	80
Elongation at nominal strength <small>[EN ISO 10319]</small>	MD	%	10.5	10.5	10.5	10.5
	CD	%	10	10	10	10
Tensile strength at 2% 3% 5% <small>[EN ISO 10319]</small>	MD & CD	kN/m	4	7	10	15
	MD & CD	kN/m	5	9	13	19
	MD & CD	kN/m	7	13	17	27
Mesh size <small>[+/- 5 mm]</small>	MD	mm	25	25	25	25
	CD	mm	25	25	25	25
<b>Forms of Supply</b>						
Roll width		m	5.2	5.2	5.2	5.2
Roll length		m	100	100	100	100
Roll weight <small>[+/- 10%]</small>		kg	100	145	200	300

MD = machine direction / CD = cross direction

min: These values are given within the 95% confidence level.

For information concerning long term design strength, friction behaviour or other product properties please contact TenCate Geosynthetics.

The values given are average values obtained in our laboratories and in accredited testing institutes. The information given in this datasheet is to the best of our knowledge true and correct. However new research results and practical experience can make revisions necessary. The right is reserved to make changes without notice at any time. No guarantee or liability can be drawn from the information mentioned herein.

### TENCATE GEOSYNTHETICS AUSTRIA GMBH

Schachermayerstr. 18 Tel. +43 732 6983 0, Fax +43 732 6983 5353  
A-4021 Linz, Austria service.at@tencate.com, www.tencate.com/geosynthetics

**BeNeLux** Tel. +31 546 544 811 service.nl@tencate.com  
**Central Eastern Europe** Tel. +43 732 6983 0 service.at@tencate.com  
**Czech Republic** Tel. +420 2 2425 1843 service.cz@tencate.com  
**France / Africa** Tel. +33 1 34 23 53 63 service.fr@tencate.com  
**Germany** Tel. +49 6074 3751 50 service.de@tencate.com  
**Italy** Tel. +39 0362 34 58 11 service.it@tencate.com  
**Near Middle East** Tel. +971 5048 10557 service.nme@tencate.com

**Poland** Tel. +48 12 268 8375 service.pl@tencate.com  
**Romania** Tel. +40 21 322 06 08 service.ro@tencate.com  
**Russia / CIS** Tel. +7 916 4127687 service.ru@tencate.com  
**Scandinavia / Baltics** Tel. +45 4485 7474 service.dk@tencate.com  
**Spain / Portugal** Tel. +34 91 650 6461 service.es@tencate.com  
**Switzerland** Tel. +41 44 318 6590 service.ch@tencate.com  
**UK / Ireland** Tel. +44 1952 588 066 service.uk@tencate.com



502.169 | 04.2.009

Protective Fabrics  
Space Composites  
Aerospace Composites  
Advanced Armour

Geosynthetics  
Industrial Fabrics  
Grass